

Instrument :
FID_B
ClientSampleId :
PT-GAS-SOIL

rteres

Area Percent Report

Manual Integrations
APPROVED

Ankita
12/3/2019 11:55:23 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110519\
Data File : FB022892.D
Signal(s) : FID2B.CH
Acq On : 5 Nov 2019 15:51
Sample : K5609-15 250X
Misc : 5.00g/5.00ml DI WATER
ALS Vial : 12 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB103119.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.685	4.603	4.824	PH	8824	591108	8.95%	1.340%
2	5.015	4.824	5.202	PV	7481	602695	9.13%	1.366%
3	5.355	5.202	5.512	PV	14588	931617	14.11%	2.112%
4	5.666	5.512	5.767	VV	1540	151939	2.30%	0.344%
5	5.939	5.767	6.222	VV	2959	403233	6.11%	0.914%
6	6.371	6.222	6.513	VV	9093	611733	9.27%	1.387%
7	6.750	6.513	6.767	VV	2446	162040	2.45%	0.367%
8	6.895	6.767	6.990	VV	17118	1230116	18.64%	2.788%
9	7.150	6.990	7.270	VV	19973	1862585	28.22%	4.222%
10	7.378	7.270	7.555	VV	11323	1043035	15.80%	2.364%
11	7.755	7.555	7.839	VV	26200	1876042	28.42%	4.252%
12	7.889	7.839	7.992	VV	12343	668894	10.13%	1.516%
13	8.080	7.992	8.176	VV	3463	258842	3.92%	0.587%
14	8.264	8.176	8.353	VV	3110	219969	3.33%	0.499%
15	8.473	8.353	8.506	VV	4937	307903	4.66%	0.698%
16	8.569	8.506	8.690	VV	5764	416088	6.30%	0.943%
17	8.827	8.690	8.973	VV	14716	1265164	19.17%	2.868%
18	9.097	8.973	9.256	VV	4124	515336	7.81%	1.168%
19	9.400	9.256	9.549	VV	18617	1599787	24.24%	3.626%
20	9.654	9.549	9.968	VV	17642	1469725	22.27%	3.331%
21	10.036	9.968	10.091	VV	941	58918	0.89%	0.134%
22	10.201	10.091	10.229	VV	4035	217950	3.30%	0.494%
23	10.317	10.229	10.423	VV	13932	886903	13.44%	2.010%
24	10.477	10.423	10.518	VV	4008	214943	3.26%	0.487%
25	10.630	10.518	10.759	VV	138906	6600932	100.00%	14.962%
26	10.803	10.759	10.886	VV	2969	174299	2.64%	0.395%
27	10.988	10.886	11.101	VV	3271	300325	4.55%	0.681%
28	11.184	11.101	11.481	VV	3149	385258	5.84%	0.873%
29	11.615	11.481	11.677	VV	2224	183745	2.78%	0.416%
30	11.894	11.677	12.003	VV	11526	970948	14.71%	2.201%
31	12.109	12.003	12.293	VV	7881	508081	7.70%	1.152%
32	12.354	12.293	12.431	VV	949	65138	0.99%	0.148%
33	12.505	12.431	12.596	VV	722	61883	0.94%	0.140%
34	12.781	12.596	12.911	VV	5673	419486	6.35%	0.951%
35	13.069	12.911	13.123	VV	35575	1663835	25.21%	3.771%
36	13.200	13.123	13.453	VV	137255	6174685	93.54%	13.996%

					rteres			
37	13.554	13.453	13.665	VV	2044	161088	2.44%	0.365%
38	13.743	13.665	13.778	VV	1073	62028	0.94%	0.141%
39	13.930	13.778	14.034	VV	49207	2257698	34.20%	5.118%
40	14.214	14.034	14.350	VV	4069	495979	7.51%	1.124%
41	14.441	14.350	14.494	VV	2632	150597	2.28%	0.341%
42	14.543	14.494	14.666	VV	2547	134026	2.03%	0.304%
43	14.732	14.666	14.817	VV	303	19944	0.30%	0.045%
44	14.945	14.817	15.002	VV	322	29617	0.45%	0.067%
45	15.084	15.002	15.144	VV	1633	82607	1.25%	0.187%
46	15.241	15.144	15.323	VV	9840	464344	7.03%	1.053%
47	15.420	15.323	15.485	VV	38507	1884697	28.55%	4.272%
48	15.517	15.485	15.643	VV	16769	690211	10.46%	1.565%
49	15.694	15.643	15.758	VV	326	16033	0.24%	0.036%
50	15.815	15.758	15.869	VV	260	10962	0.17%	0.025%
51	15.965	15.869	16.090	VV	9663	430744	6.53%	0.976%
52	16.208	16.090	16.331	PV	48525	2056071	31.15%	4.661%
53	16.410	16.331	16.498	VV	1488	88980	1.35%	0.202%
54	16.524	16.498	16.576	VV	202	5979	0.09%	0.014%
Sum of corrected areas:					44116785			

Instrument :
FID_B
ClientSampleId :
PT-GAS-SOIL

Manual Integrations
APPROVED

Ankita
12/3/2019 11:55:23 AM

FB103119.M Wed Nov 06 08:12:40 2019