

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110618\
 Data File : FB018545.D
 Signal(s) : FID2B.CH
 Acq On : 6 Nov 2018 11:13
 Sample : J5826-09
 Misc : 5.04g/5.00mL DI Water
 ALS Vial : 7 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB101218.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.158	5.068	5.227	PV	362	20432	11.64%	4.666%
2	5.239	5.227	5.264	VV	246	5038	2.87%	1.150%
3	5.272	5.264	5.364	VV	234	6136	3.49%	1.401%
4	5.644	5.486	5.784	BV	519	32760	18.66%	7.481%
5	6.580	6.508	6.639	PV	111	4619	2.63%	1.055%
6	7.101	6.963	7.265	VV	600	56748	32.32%	12.959%
7	7.670	7.615	7.735	VV	101	4193	2.39%	0.958%
8	8.204	8.125	8.295	BV	278	13129	7.48%	2.998%
9	9.110	8.999	9.308	BV	2897	175569	100.00%	40.093%
10	9.721	9.581	9.876	BV	158	11585	6.60%	2.646%
11	10.540	10.385	10.644	BV	202	10979	6.25%	2.507%
12	11.140	10.995	11.223	BV	136	9199	5.24%	2.101%
13	11.310	11.223	11.401	VV	106	6657	3.79%	1.520%
14	11.773	11.632	11.790	BV	135	4193	2.39%	0.958%
15	11.808	11.790	11.913	VV	150	6238	3.55%	1.425%
16	12.113	11.913	12.175	PV	158	11222	6.39%	2.563%
17	13.128	12.999	13.161	PV	129	8248	4.70%	1.884%
18	13.387	13.260	13.488	PV	160	10205	5.81%	2.330%
19	13.887	13.789	14.006	BV	125	7842	4.47%	1.791%
20	14.477	14.330	14.656	VV	336	26626	15.17%	6.080%
21	15.402	15.274	15.468	VV	102	3682	2.10%	0.841%
22	16.573	16.525	16.615	VV	81	2601	1.48%	0.594%
Sum of corrected areas:							437902	

FB101218.M Wed Nov 07 07:55:58 2018