

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110618\
 Data File : FB018578.D
 Signal(s) : FID2B.CH
 Acq On : 7 Nov 2018 5:03
 Sample : J5827-23
 Misc : 5.03g/5.00mL DI Water
 ALS Vial : 26 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB101218.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.185	5.033	5.199	PV	384	18746	8.62%	3.859%
2	5.215	5.199	5.386	VV	365	19863	9.13%	4.089%
3	5.636	5.545	5.770	VV	449	27412	12.60%	5.644%
4	7.102	6.901	7.308	VV	1165	112428	51.69%	23.147%
5	9.108	8.977	9.253	PV	3938	217496	100.00%	44.778%
6	9.712	9.593	9.739	VV	275	12932	5.95%	2.662%
7	9.748	9.739	9.821	VV	247	7077	3.25%	1.457%
8	10.076	10.004	10.084	PV	76	1333	0.61%	0.274%
9	10.092	10.084	10.104	VV	54	386	0.18%	0.079%
10	10.229	10.173	10.237	BV	123	2658	1.22%	0.547%
11	10.251	10.237	10.358	VV	156	7165	3.29%	1.475%
12	10.625	10.556	10.639	PV	88	2540	1.17%	0.523%
13	10.683	10.639	10.692	VV	154	3380	1.55%	0.696%
14	10.704	10.692	10.772	VV	176	4376	2.01%	0.901%
15	11.797	11.637	11.808	BV	259	13235	6.09%	2.725%
16	11.815	11.808	11.922	VV	255	10130	4.66%	2.086%
17	14.389	14.293	14.398	PV	221	5893	2.71%	1.213%
18	14.421	14.398	14.428	VV	230	3828	1.76%	0.788%
19	14.455	14.428	14.481	VV	234	6943	3.19%	1.429%
20	14.490	14.481	14.574	VV	229	6019	2.77%	1.239%
21	16.339	16.294	16.363	BV	117	1878	0.86%	0.387%
Sum of corrected areas:							485719	

FB101218.M Wed Nov 07 08:08:07 2018