

Instrument :

FID_B

ClientSampleId :

PT-GAS-SOIL

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB
 Data File : FB030432.D
 Signal(s) : FID2B.CH
 Acq On : 6 Nov 2023 13:22
 Sample : 05047-15 500X
 Misc : 5.00G/5.00 ML ME0H
 ALS Vial : 8 Sample Multiplier: 1

Reviewed By :Yogesh Patel 11/07/2023
 Supervised By :Ankita Jodhani 11/07/2023

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB101023.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.694	4.576	4.831	PV	3678	256602	8.54%	1.044%
2	5.663	5.496	5.779	PV	973	99245	3.30%	0.404%
3	5.945	5.779	5.998	VV	1119	109939	3.66%	0.447%
4	6.044	5.998	6.207	VV	1077	70699	2.35%	0.288%
5	6.368	6.207	6.527	PV	5212	359760	11.98%	1.464%
6	7.134	6.988	7.254	M	9463	765519	25.49%	3.116%
7	7.379	7.257	7.543	PV	8391	674800	22.47%	2.747%
8	7.739	7.543	7.838	VV	16815	1169260	38.93%	4.759%
9	7.864	7.838	7.971	VV	3909	174893	5.82%	0.712%
10	8.063	7.971	8.159	PV	1382	83609	2.78%	0.340%
11	8.249	8.159	8.339	VV	1317	74647	2.49%	0.304%
12	8.463	8.339	8.483	VV	2086	103410	3.44%	0.421%
13	8.558	8.483	8.677	VV	2841	203644	6.78%	0.829%
14	8.831	8.677	8.966	VV	12132	1004588	33.45%	4.089%
15	9.080	8.966	9.256	VV	2581	330486	11.00%	1.345%
16	9.380	9.256	9.530	VV	11512	903933	30.10%	3.679%
17	9.635	9.530	9.941	VV	9124	710103	23.64%	2.890%
18	10.019	9.941	10.060	PV	339	15566	0.52%	0.063%
19	10.183	10.060	10.213	VV	4072	210314	7.00%	0.856%
20	10.295	10.213	10.401	VV	12521	756677	25.20%	3.080%
21	10.459	10.401	10.509	VV	2845	167964	5.59%	0.684%
22	10.609	10.509	10.722	VV	64124	3003223	100.00%	12.224%
23	10.781	10.722	10.861	VV	2231	132900	4.43%	0.541%
24	10.954	10.861	11.084	VV	2694	230554	7.68%	0.938%
25	11.157	11.084	11.314	VV	1753	137122	4.57%	0.558%
26	11.421	11.314	11.505	VV	637	56075	1.87%	0.228%
27	11.755	11.505	11.806	VV	5240	456771	15.21%	1.859%
28	11.869	11.806	11.974	VV	8225	454108	15.12%	1.848%
29	12.084	11.974	12.229	VV	5705	325498	10.84%	1.325%
30	12.327	12.229	12.417	VV	320	19818	0.66%	0.081%
31	12.527	12.417	12.591	PV	301	18331	0.61%	0.075%

32	12.757	12.591	12.892	VV	8885	499715	16.64%	2.034%
33	13.044	12.892	13.101	VV	20185	99782		
34	13.176	13.101	13.419	VV	62773	286392		
35	13.531	13.419	13.654	VV	2899	22927		
36	13.905	13.654	14.001	VV	23509	122135		
37	14.094	14.001	14.141	VV	4160	268886	8.95%	1.094%
38	14.185	14.141	14.319	VV	4097	295269	9.83%	1.202%
39	14.416	14.319	14.474	VV	2778	176585	5.88%	0.719%
40	14.519	14.474	14.623	VV	2337	143482	4.78%	0.584%
41	14.694	14.623	14.756	VV	1098	81938	2.73%	0.334%
42	14.842	14.756	14.962	VV	1360	156741	5.22%	0.638%
43	15.057	14.962	15.130	VV	4792	293410	9.77%	1.194%
44	15.214	15.130	15.296	VV	7074	412582	13.74%	1.679%
45	15.394	15.296	15.461	VV	22489	1177511	39.21%	4.793%
46	15.491	15.461	15.625	VV	10246	485515	16.17%	1.976%
47	15.659	15.625	15.729	VV	1469	86640	2.88%	0.353%
48	15.790	15.729	15.839	VV	1476	91904	3.06%	0.374%
49	15.938	15.839	16.067	VV	7096	441632	14.71%	1.798%
50	16.180	16.067	16.299	VV	30051	1415164	47.12%	5.760%
51	16.383	16.299	16.404	VBA	2832	149624	4.98%	0.609%
Sum of corrected areas:						24569033		

Instrument :
FID_B
ClientSampleId :
PT-GAS-SOIL

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/07/2023
Supervised By :Ankita Jodhani 11/07/2023

FB101023.M Tue Nov 07 07:29:18 2023