

Instrument :

FID_B

ClientSampleId :

PT-GAS-SOIL

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB
 Data File : FB030438.D
 Signal(s) : FID2B.CH
 Acq On : 6 Nov 2023 17:48
 Sample : 05047-15 500X
 Misc : 5.00G/5.00 ML ME0H
 ALS Vial : 15 Sample Multiplier: 1

Reviewed By :Yogesh Patel 11/07/2023
 Supervised By :Ankita Jodhani 11/07/2023

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB101023.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.703	4.550	4.841	PV	3937	301507	9.82%	1.219%
2	5.664	5.509	5.782	PV	918	93057	3.03%	0.376%
3	5.950	5.782	6.017	VV	1116	116438	3.79%	0.471%
4	6.052	6.017	6.202	VV	1051	61093	1.99%	0.247%
5	6.375	6.202	6.540	VV	5139	356778	11.62%	1.443%
6	7.141	6.988	7.262	VV	10016	884299	28.79%	3.576%
7	7.385	7.262	7.550	VV	9369	829918	27.02%	3.357%
8	7.744	7.550	7.976	VV	17064	1473370	47.97%	5.959%
9	8.068	7.976	8.163	VV	1796	132093	4.30%	0.534%
10	8.254	8.163	8.344	VV	1710	118404	3.85%	0.479%
11	8.561	8.344	8.678	VV	3180	379323	12.35%	1.534%
12	8.836	8.678	8.972	VV	12458	1064891	34.67%	4.307%
13	9.085	8.972	9.255	VV	2881	382409	12.45%	1.547%
14	9.384	9.255	9.534	VV	11756	956261	31.13%	3.868%
15	9.639	9.534	9.941	VV	9264	763397	24.85%	3.088%
16	10.019	9.941	10.062	VV	562	31349	1.02%	0.127%
17	10.187	10.062	10.219	VV	4259	235420	7.66%	0.952%
18	10.298	10.219	10.403	VV	12803	769988	25.07%	3.114%
19	10.463	10.403	10.507	VV	2998	172785	5.63%	0.699%
20	10.612	10.507	10.726	VV	64960	3071504	100.00%	12.423%
21	10.784	10.726	10.864	VV	2455	151347	4.93%	0.612%
22	10.957	10.864	11.087	VV	2878	257175	8.37%	1.040%
23	11.160	11.087	11.317	VV	1953	164520	5.36%	0.665%
24	11.433	11.317	11.507	VV	953	88328	2.88%	0.357%
25	11.758	11.507	11.805	VV	5431	481702	15.68%	1.948%
26	11.872	11.805	11.977	VV	8488	485588	15.81%	1.964%
27	12.086	11.977	12.223	VV	5929	352481	11.48%	1.426%
28	12.327	12.223	12.440	VV	466	40828	1.33%	0.165%
29	12.529	12.440	12.588	VV	386	27199	0.89%	0.110%
30	12.759	12.588	12.895	VV	9136	517273	16.84%	2.092%
31	13.046	12.895	13.103	VV	20638	1013326	32.99%	4.098%

32	13.178	13.103	13.426	VV	64673	2919940	95.07%	11.810%
33	13.532	13.426	13.651	VV	2634	18422		
34	13.907	13.651	14.003	VV	24092	118264		
35	14.096	14.003	14.141	VV	3768	23047		
36	14.188	14.141	14.320	VV	3785	25161		
37	14.417	14.320	14.476	VV	2323	129343	4.21%	0.523%
38	14.521	14.476	14.623	VV	1766	87133	2.84%	0.352%
39	14.692	14.623	14.756	VV	366	23326	0.76%	0.094%
40	14.841	14.756	14.968	VV	528	51941	1.69%	0.210%
41	15.059	14.968	15.132	VV	4046	203221	6.62%	0.822%
42	15.216	15.132	15.296	VV	6375	324603	10.57%	1.313%
43	15.395	15.296	15.462	VV	23012	1151415	37.49%	4.657%
44	15.492	15.462	15.620	VV	9989	416178	13.55%	1.683%
45	15.662	15.620	15.730	VV	485	24538	0.80%	0.099%
46	15.791	15.730	15.841	VV	439	21828	0.71%	0.088%
47	15.940	15.841	16.075	VV	6425	307277	10.00%	1.243%
48	16.182	16.075	16.301	VV	31520	1358286	44.22%	5.494%
49	16.384	16.301	16.404	VBA	1731	83230	2.71%	0.337%
Sum of corrected areas:						24725276		

Instrument :

FID_B

ClientSampleId :

PT-GAS-SOIL

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/07/2023
Supervised By :Ankita Jodhani 11/07/2023

FB101023.M Tue Nov 07 07:31:10 2023