

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110722\
 Data File : FB028848.D
 Signal(s) : FID2B.CH
 Acq On : 7 Nov 2022 12:22
 Operator : AJ/MA
 Sample : N5317-16
 Misc : 5.00G/5.00 ML DI WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 FID_B
 ClientSampleId :
 PT-GAS-SOIL

Manual Integrations
 APPROVED

Reviewed By :Yogesh
 Patel

Integration File: Calibration.e
 Quant Time: Nov 08 07:54:26 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110122.M
 Quant Title :
 QLast Update : Tue Nov 01 12:44:15 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 5 g/ml
 Signal Phase : RTX-502.2
 Signal Info : 60mx0.53mmx3.00um

11/08/2022
 Supervised By :Ankita
 Jodhani

Compound	R.T.	Response	Conc Units
-----11/08/2022			
System Monitoring Compounds			
5) s AAA-TFT	8.918	198807044	15645.102 ng/mlm
Target Compounds			
1) t 2-Methylpentane	4.753	87960394	5396.437 ng/ml
2) t 2,2,4-Trimethylpentane	7.449	232675804	13241.881 ng/ml
3) t n-Heptane	7.829	308850116	17565.991 ng/mlm
4) t Benzene	7.830	366457533	17870.506 ng/ml
6) t Toluene	10.709	1169546026	58148.399 ng/mlm
7) t Ethylbenzene	13.120	284441702	14997.725 ng/ml
8) t m-Xylene	13.303	1092790415	58087.216 ng/mlm
9) t O-Xylene	13.986	366580646	19982.339 ng/ml
10) t 1,2,4-Trimethylbenzene	16.269	390399275	21191.961 ng/mlm

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110722\
Data File : FB028848.D
Signal(s) : FID2B.CH
Acq On : 7 Nov 2022 12:22
Operator : AJ/MA
Sample : N5317-16
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
FID_B
ClientSampleId :
PT-GAS-SOIL

Manual Integrations
APPROVED

Reviewed By :Yogesh
Patel

Integration File: Calibration.e
Quant Time: Nov 08 07:54:26 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110122.M
Quant Title :
QLast Update : Tue Nov 01 12:44:15 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 5 g/ml
Signal Phase : RTX-502.2
Signal Info : 60mx0.53mmx3.00um

11/08/2022
Supervised By :Ankita
Jodhani

