

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110722\
Data File : FB028847.D
Signal(s) : FID2B.CH
Acq On : 7 Nov 2022 11:45
Sample : BSF1107S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.718	4.534	4.873	BV	4854	448848	71.00%	12.259%
2	7.436	7.214	7.635	PV	6490	551839	87.29%	15.071%
3	7.759	7.635	7.827	VV	3433	186119	29.44%	5.083%
4	7.896	7.827	8.044	VV	4291	218350	34.54%	5.963%
5	8.800	8.604	9.021	BB	5107	280817	44.42%	7.669%
6	10.629	10.521	10.779	VV	13907	632198	100.00%	17.266%
7	13.064	12.957	13.126	BV	4517	195846	30.98%	5.349%
8	13.197	13.126	13.377	VV	8873	390098	61.71%	10.654%
9	13.923	13.756	14.031	BV	8714	396527	62.72%	10.830%
10	16.198	16.082	16.375	VV	8600	360860	57.08%	9.856%

Sum of corrected areas: 3661503

FB110122.M Tue Nov 08 03:50:04 2022