

rteres

Instrument :

FID_B

ClientSampleId :

WC-3(0-6)MSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/08/2024

Supervised By :Ankita Jodhani 11/08/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB11072
Data File : FB031158.D
Signal(s) : FID2B.CH
Acq On : 8 Nov 2024 2:03
Sample : P4722-13MSD 50X
Misc : 5.08G/5.00 ML ME0H
ALS Vial : 36 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102824.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.705	4.597	4.852	M	15833	1227183	84.10%	14.499%
2	5.256	5.241	5.263	PV	42	343	0.02%	0.004%
3	5.568	5.560	5.617	PV	16	422	0.03%	0.005%
4	5.626	5.617	5.730	PV	16	676	0.05%	0.008%
5	5.742	5.730	5.785	VV	17	148	0.01%	0.002%
6	5.794	5.785	5.868	PV	18	226	0.02%	0.003%
7	5.882	5.868	5.898	PV	21	142	0.01%	0.002%
8	5.908	5.898	5.971	PV	17	280	0.02%	0.003%
9	5.976	5.971	5.985	VV	13	56	0.00%	0.001%
10	5.995	5.985	6.049	VV	17	435	0.03%	0.005%
11	6.056	6.049	6.107	PV	23	389	0.03%	0.005%
12	6.140	6.107	6.188	VV	49	1975	0.14%	0.023%
13	6.197	6.188	6.214	VV	51	660	0.05%	0.008%
14	6.224	6.214	6.236	VV	45	503	0.03%	0.006%
15	6.245	6.236	6.283	VV	41	824	0.06%	0.010%
16	6.294	6.283	6.316	VV	38	539	0.04%	0.006%
17	6.330	6.316	6.337	VV	38	419	0.03%	0.005%
18	6.367	6.337	6.396	VV	66	1806	0.12%	0.021%
19	6.406	6.396	6.441	VV	56	981	0.07%	0.012%
20	6.448	6.441	6.472	VV	29	334	0.02%	0.004%
21	6.483	6.472	6.510	PV	23	336	0.02%	0.004%
22	6.527	6.510	6.541	VV	16	164	0.01%	0.002%
23	6.555	6.541	6.616	VV	24	253	0.02%	0.003%
24	6.623	6.616	6.631	PV	13	53	0.00%	0.001%
25	6.759	6.631	6.768	VV	175	6214	0.43%	0.073%
26	6.793	6.768	6.807	VV	216	4602	0.32%	0.054%
27	6.816	6.807	7.017	VV	216	11823	0.81%	0.140%
28	7.034	7.017	7.068	PV	26	542	0.04%	0.006%
29	7.081	7.068	7.106	VV	30	531	0.04%	0.006%
30	7.115	7.106	7.145	VV	24	449	0.03%	0.005%
31	7.153	7.145	7.160	VV	24	175	0.01%	0.002%
32	7.166	7.160	7.182	VV	23	168	0.01%	0.002%
33	7.196	7.182	7.205	VV	21	134	0.01%	0.002%
34	7.420	7.205	7.640	PV	15207	1362687	93.39%	16.100%
35	7.750	7.640	7.818	VV	7426	421497	28.89%	4.980%
36	7.890	7.818	8.142	VV	9661	548686	37.60%	6.482%

37	8.151	8.142	8.201	VV	67	1805	0.12%	0.021%
38	8.214	8.201	8.320	VV	54	2607	0.08%	0.021%
39	8.330	8.320	8.427	VV	21	693	0.03%	0.021%
40	8.497	8.427	8.534	PV	49	1920	0.06%	0.021%
41	8.548	8.534	8.603	VV	57	1182	0.06%	0.021%
42	8.790	8.603	9.020	PV	8541	501393	34.00%	0.021%
43	9.037	9.020	9.091	VV	56	1931	0.13%	0.023%
44	9.106	9.091	9.258	VV	50	2815	0.19%	0.033%
45	9.440	9.258	9.469	PV	92	6679	0.46%	0.079%
46	9.485	9.469	9.556	VV	64	1820	0.12%	0.022%
47	9.568	9.556	9.585	VV	22	285	0.02%	0.003%
48	9.604	9.585	9.647	VV	27	749	0.05%	0.009%
49	9.659	9.647	9.718	VV	28	554	0.04%	0.007%
50	9.735	9.718	9.754	PV	18	210	0.01%	0.002%
51	9.942	9.754	10.151	VV	277	23412	1.60%	0.277%
52	10.185	10.151	10.198	VV	39	781	0.05%	0.009%
53	10.383	10.198	10.505	VV	429	41476	2.84%	0.490%
54	10.621	10.505	11.084	VV	27932	1459151	100.00%	17.239%
55	11.103	11.084	11.131	VV	39	520	0.04%	0.006%
56	11.160	11.131	11.234	VV	31	1127	0.08%	0.013%
57	11.248	11.234	11.286	PV	21	325	0.02%	0.004%
58	11.308	11.286	11.341	PV	20	347	0.02%	0.004%
59	11.509	11.341	11.690	VV	165	15107	1.04%	0.178%
60	11.752	11.690	11.803	VV	62	3109	0.21%	0.037%
61	11.836	11.803	11.848	VV	83	1678	0.12%	0.020%
62	11.885	11.848	11.982	VV	101	4690	0.32%	0.055%
63	12.009	11.982	12.023	VV	28	446	0.03%	0.005%
64	12.101	12.023	12.208	VV	51	3184	0.22%	0.038%
65	12.239	12.208	12.255	VV	25	436	0.03%	0.005%
66	12.266	12.255	12.302	VV	22	380	0.03%	0.004%
67	12.346	12.302	12.364	PV	26	676	0.05%	0.008%
68	12.383	12.364	12.426	VV	26	616	0.04%	0.007%
69	12.527	12.426	12.562	PV	22	1081	0.07%	0.013%
70	12.587	12.562	12.621	VV	26	711	0.05%	0.008%
71	12.739	12.621	12.754	VV	107	3598	0.25%	0.043%
72	12.768	12.754	12.830	VV	98	2840	0.19%	0.034%
73	12.838	12.830	12.870	VV	49	624	0.04%	0.007%
74	12.886	12.870	12.909	VV	33	531	0.04%	0.006%
75	13.059	12.909	13.120	VV	8688	412594	28.28%	4.875%
76	13.193	13.120	13.532	VV	16845	884085	60.59%	10.445%
77	13.550	13.532	13.626	VV	61	2245	0.15%	0.027%
78	13.670	13.626	13.765	VV	31	1708	0.12%	0.020%
79	13.922	13.765	14.066	VV	15711	805121	55.18%	9.512%
80	14.098	14.066	14.294	VV	465	33992	2.33%	0.402%
81	14.355	14.294	14.480	VV	109	7448	0.51%	0.088%
82	14.552	14.480	14.626	VV	63	3774	0.26%	0.045%
83	14.648	14.626	14.688	VV	25	561	0.04%	0.007%
84	14.707	14.688	14.728	PV	23	339	0.02%	0.004%
85	14.811	14.728	14.879	VV	37	1584	0.11%	0.019%
86	14.902	14.879	14.917	VV	23	330	0.02%	0.004%
87	14.946	14.917	14.964	VV	22	441	0.03%	0.005%
88	15.056	14.964	15.177	VV	152	8539	0.59%	0.101%
89	15.250	15.177	15.323	VV	73	4734	0.32%	0.056%

Instrument :

FID_B

ClientSampleId :

WC-3(0-6)MSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/08/2024

Supervised By :Ankita Jodhani 11/08/2024

					rters		
90	15.403	15.323	15.474	VV	136	8820	
91	15.496	15.474	15.580	VV	129	5138	
92	15.601	15.580	15.691	VV	43	1896	
93	15.699	15.691	15.723	VV	25	385	
94	15.748	15.723	15.786	VV	28	464	
95	15.842	15.786	15.858	PV	23	427	
96	15.965	15.858	16.077	PV	71	3952	
97	16.197	16.077	16.448	VV	12997	586129	
98	16.458	16.448	16.510	VV	43	1021	
99	16.525	16.510	16.545	VV	20	266	
Sum of corrected areas:						8464137	

Instrument :
FID_B
ClientSampleId :
WC-3(0-6)MSD

0.60% 0.104%

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/08/2024
Supervised By :Ankita Jodhani 11/08/2024

FB102824.M Fri Nov 08 04:11:52 2024