

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110724\
Data File : FB031159.D
Signal(s) : FID2B.CH
Acq On : 8 Nov 2024 2:29
Sample : BSF1107S4
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 37 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102824.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.716	4.582	4.888	BV	14799	1063279	79.65%	14.053%
2	7.421	7.205	7.636	PV	14906	1308409	98.01%	17.293%
3	7.752	7.636	7.820	VV	7014	395141	29.60%	5.222%
4	7.891	7.820	8.070	VV	8698	474292	35.53%	6.269%
5	8.791	8.626	9.043	BV	6876	396002	29.66%	5.234%
6	10.619	10.504	10.953	VV	25649	1334966	100.00%	17.644%
7	13.057	12.919	13.117	PV	8206	385691	28.89%	5.098%
8	13.190	13.117	13.399	VV	16073	825941	61.87%	10.916%
9	13.917	13.776	14.061	PV	15223	771163	57.77%	10.192%
10	16.194	16.059	16.332	PV	13828	611347	45.79%	8.080%

Sum of corrected areas: 7566231

FB102824.M Fri Nov 08 04:00:02 2024