

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110724\
Data File : FB031167.D
Signal(s) : FID2B.CH
Acq On : 8 Nov 2024 12:20
Sample : BSF1107S5
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 7 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102824.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.720	4.582	4.891	BV	15044	1100124	76.99%	13.541%
2	7.424	7.191	7.642	PV	15652	1384110	96.86%	17.036%
3	7.755	7.642	7.821	VV	6816	386023	27.01%	4.751%
4	7.893	7.821	8.128	VV	9501	528889	37.01%	6.510%
5	8.793	8.590	8.993	BV	7111	407275	28.50%	5.013%
6	10.623	10.502	10.962	VV	27309	1428956	100.00%	17.588%
7	13.060	12.868	13.121	BV	9016	427783	29.94%	5.265%
8	13.193	13.121	13.430	VV	17759	920507	64.42%	11.330%
9	13.922	13.653	14.053	PV	17053	864453	60.50%	10.640%
10	16.198	16.088	16.324	PV	15311	676489	47.34%	8.326%

Sum of corrected areas: 8124609

FB102824.M Fri Nov 08 23:46:13 2024