

Instrument :
FID_B
ClientSampleId :
SB-18-(12-14)

rteres

Area Percent Report

Manual Integrations
APPROVED

Ankita
11/11/2019 8:59:31 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110819\
Data File : FB022947.D
Signal(s) : FID2B.CH
Acq On : 8 Nov 2019 17:59
Sample : K5742-04 250X
Misc : 5.00g/5.00ml DI WATER
ALS Vial : 16 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB103119.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.682	4.603	4.779	PH	370	23176	1.85%	0.156%
2	5.177	5.169	5.189	VV	26	136	0.01%	0.001%
3	5.551	5.543	5.563	VV	21	128	0.01%	0.001%
4	5.573	5.563	5.627	PV	13	360	0.03%	0.002%
5	5.653	5.627	5.662	PV	14	210	0.02%	0.001%
6	5.678	5.662	5.691	VV	21	172	0.01%	0.001%
7	5.704	5.691	5.738	VV	26	506	0.04%	0.003%
8	5.808	5.738	5.818	VV	77	2282	0.18%	0.015%
9	5.831	5.818	5.851	VV	96	1664	0.13%	0.011%
10	5.935	5.851	6.084	VV	155	13045	1.04%	0.088%
11	6.117	6.084	6.125	VV	55	895	0.07%	0.006%
12	6.156	6.125	6.164	VV	64	1336	0.11%	0.009%
13	6.184	6.164	6.203	VV	71	1304	0.10%	0.009%
14	6.211	6.203	6.221	VV	54	468	0.04%	0.003%
15	6.230	6.221	6.261	VV	41	760	0.06%	0.005%
16	6.355	6.261	6.499	VV	177	12332	0.98%	0.083%
17	6.553	6.499	6.565	PV	15	246	0.02%	0.002%
18	7.150	6.997	7.283	VV	1844	147929	11.80%	0.993%
19	7.395	7.283	7.554	VV	340	38405	3.06%	0.258%
20	7.751	7.554	7.956	VV	5246	339583	27.10%	2.279%
21	8.054	7.956	8.070	PV	69	2368	0.19%	0.016%
22	8.079	8.070	8.119	VV	55	1264	0.10%	0.008%
23	8.128	8.119	8.137	VV	35	299	0.02%	0.002%
24	8.239	8.137	8.354	VV	357	22648	1.81%	0.152%
25	8.565	8.354	8.679	PV	1747	176309	14.07%	1.183%
26	8.802	8.679	8.966	VV	10562	793823	63.35%	5.328%
27	8.996	8.966	9.135	VV	940	66729	5.33%	0.448%
28	9.241	9.135	9.265	VV	877	51632	4.12%	0.347%
29	9.397	9.265	9.546	VV	10664	829115	66.16%	5.565%
30	9.646	9.546	9.963	VV	8730	655167	52.28%	4.398%
31	10.198	9.963	10.245	VV	8816	527083	42.06%	3.538%
32	10.309	10.245	10.415	VV	15681	859179	68.56%	5.767%
33	10.499	10.415	10.612	VV	2528	193172	15.42%	1.297%
34	10.798	10.612	10.879	VV	5561	456651	36.44%	3.065%
35	10.964	10.879	11.086	VV	6735	484174	38.64%	3.250%
36	11.175	11.086	11.381	VV	5040	409649	32.69%	2.750%

rteres								
37	11.472	11.381	11.542	VV	1719	126451	10.09%	0.849%
38	11.767	11.542	11.817	VV	11924	997592	79.61%	6.696%
39	11.889	11.817	11.990	VV	22102	1253114	100.00%	8.411%
40	12.101	11.990	12.269	VV	15866	964097	76.94%	6.471%
41	12.356	12.269	12.454	VV	486	31531	2.52%	0.212%
42	12.568	12.454	12.596	PV	264	14011	1.12%	0.094%
43	12.776	12.596	12.906	VV	6954	463072	36.95%	3.108%
44	13.020	12.906	13.227	VV	7622	695753	55.52%	4.670%
45	13.329	13.227	13.441	VV	3543	277610	22.15%	1.863%
46	13.553	13.441	13.681	VV	7042	514061	41.02%	3.450%
47	13.820	13.681	13.909	VV	3126	288666	23.04%	1.938%
48	13.940	13.909	13.997	VV	1429	64644	5.16%	0.434%
49	14.115	13.997	14.182	VV	10917	755555	60.29%	5.071%
50	14.197	14.182	14.345	VV	8673	477050	38.07%	3.202%
51	14.438	14.345	14.615	VV	4888	315899	25.21%	2.120%
52	14.713	14.615	14.775	VV	1231	83946	6.70%	0.563%
53	14.850	14.775	14.999	VV	1381	132899	10.61%	0.892%
54	15.084	14.999	15.122	VV	2891	143283	11.43%	0.962%
55	15.198	15.122	15.377	VV	3556	372153	29.70%	2.498%
56	15.514	15.377	15.757	VV	4486	401063	32.01%	2.692%
57	15.811	15.757	15.885	VV	719	36100	2.88%	0.242%
58	15.960	15.885	16.025	VV	928	47728	3.81%	0.320%
59	16.046	16.025	16.125	VV	443	20814	1.66%	0.140%
60	16.208	16.125	16.252	VV	1342	64069	5.11%	0.430%
61	16.308	16.252	16.325	VV	1411	53013	4.23%	0.356%
62	16.410	16.325	16.506	VV	3095	190225	15.18%	1.277%
Sum of corrected areas:					14898599			

Instrument :
FID_B
ClientSampleId :
SB-18-(12-14)

Manual Integrations
APPROVED

Ankita
11/11/2019 8:59:31 AM

FB103119.M Mon Nov 11 08:02:38 2019