

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110822\
Data File : FB028857.D
Signal(s) : FID2B.CH
Acq On : 8 Nov 2022 10:22
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 1 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.706	4.534	4.857	PV	6476	503797	77.99%	13.279%
2	7.416	7.209	7.622	BV	6383	543672	84.16%	14.330%
3	7.746	7.622	7.813	VV	3343	182570	28.26%	4.812%
4	7.882	7.813	8.004	VV	4294	219939	34.05%	5.797%
5	8.786	8.598	8.887	PV	5336	291988	45.20%	7.696%
6	10.614	10.505	10.953	VV	13984	645974	100.00%	17.026%
7	13.051	12.823	13.112	BV	4576	200424	31.03%	5.283%
8	13.183	13.112	13.380	VV	9082	401782	62.20%	10.590%
9	13.910	13.742	14.014	VV	8972	410472	63.54%	10.819%
10	16.185	16.077	16.302	PV	9398	393421	60.90%	10.369%

Sum of corrected areas: 3794041

FB110122.M Wed Nov 09 06:08:23 2022