

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110822\
Data File : FB028867.D
Signal(s) : FID2B.CH
Acq On : 8 Nov 2022 16:40
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.715	4.551	4.855	BV	5734	441879	74.73%	13.141%
2	7.426	7.238	7.624	VV	6083	515091	87.11%	15.318%
3	7.752	7.624	7.820	VV	3049	163893	27.72%	4.874%
4	7.890	7.820	8.009	VV	3903	199279	33.70%	5.926%
5	8.794	8.612	8.896	BV	3890	209711	35.46%	6.236%
6	10.622	10.513	10.751	VV	13002	591332	100.00%	17.585%
7	13.059	12.954	13.120	VV	4212	182957	30.94%	5.441%
8	13.191	13.120	13.358	VV	8302	362512	61.30%	10.781%
9	13.917	13.771	14.026	PV	8026	361576	61.15%	10.753%
10	16.192	16.066	16.333	PV	7956	334424	56.55%	9.945%

Sum of corrected areas: 3362654

FB110122.M Wed Nov 09 06:09:55 2022