

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110822\
Data File : FB028887.D
Signal(s) : FID2B.CH
Acq On : 9 Nov 2022 7:23
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 35 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.700	4.543	4.839	PV	6071	450556	76.78%	13.173%
2	7.409	7.151	7.613	PV	5848	490989	83.67%	14.355%
3	7.743	7.624	7.810	VV	2985	161708	27.56%	4.728%
4	7.879	7.810	8.002	VV	3956	200648	34.19%	5.867%
5	8.783	8.615	8.916	BV	4445	243082	41.42%	7.107%
6	10.611	10.496	10.742	VV	12942	586807	100.00%	17.157%
7	13.046	12.834	13.107	PV	4211	184706	31.48%	5.400%
8	13.179	13.107	13.324	VV	8352	367115	62.56%	10.734%
9	13.906	13.783	14.023	PV	8167	363475	61.94%	10.627%
10	16.181	16.077	16.294	PV	8880	371147	63.25%	10.851%

Sum of corrected areas: 3420234

FB110122.M Wed Nov 09 08:52:48 2022