

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB111022\
Data File : FB028895.D
Signal(s) : FID2B.CH
Acq On : 10 Nov 2022 9:50
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 1 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.697	4.540	4.825	PV	6306	461847	75.95%	13.137%
2	7.407	7.165	7.613	BV	5797	487872	80.23%	13.877%
3	7.740	7.613	7.807	VV	3080	166702	27.41%	4.742%
4	7.877	7.807	8.022	VV	4004	204801	33.68%	5.825%
5	8.781	8.634	8.904	BV	4874	265323	43.63%	7.547%
6	10.608	10.502	10.903	VB	13142	608119	100.00%	17.298%
7	13.044	12.795	13.105	BV	4313	187191	30.78%	5.325%
8	13.177	13.105	13.391	VB	8562	377846	62.13%	10.748%
9	13.904	13.694	14.012	BV	8325	369278	60.72%	10.504%
10	16.179	16.035	16.311	PV	9223	386631	63.58%	10.998%

Sum of corrected areas: 3515610

FB110122.M Thu Nov 10 12:37:07 2022