

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB111022\
Data File : FB028915.D
Signal(s) : FID2B.CH
Acq On : 10 Nov 2022 22:19
Sample : 20 PPB GRO STD
Misc : 1.23G/5.00 ML DI WATER
ALS Vial : 22 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.713	4.540	4.852	PV	5274	408567	77.01%	13.057%
2	7.426	7.216	7.624	PV	5533	470416	88.67%	15.034%
3	7.753	7.624	7.819	VV	2679	145062	27.34%	4.636%
4	7.889	7.819	8.003	VV	3595	183467	34.58%	5.863%
5	8.795	8.587	8.925	BV	4349	237396	44.75%	7.587%
6	10.622	10.513	10.762	VV	11693	530527	100.00%	16.955%
7	13.059	12.945	13.119	VV	3837	165809	31.25%	5.299%
8	13.191	13.119	13.369	VV	7537	331424	62.47%	10.592%
9	13.918	13.722	14.020	VV	7369	330850	62.36%	10.573%
10	16.192	16.057	16.308	PV	7749	325554	61.36%	10.404%

Sum of corrected areas: 3129072

FB110122.M Fri Nov 11 07:43:28 2022