

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB111022\
Data File : FB028926.D
Signal(s) : FID2B.CH
Acq On : 11 Nov 2022 6:25
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 35 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.712	4.532	4.854	PV	6183	487544	78.49%	13.596%
2	7.427	7.166	7.618	PV	6309	536844	86.43%	14.971%
3	7.752	7.630	7.820	VV	3259	177378	28.56%	4.947%
4	7.889	7.820	8.014	VV	4261	216822	34.91%	6.047%
5	8.793	8.665	8.953	VV	4759	262053	42.19%	7.308%
6	10.622	10.516	10.828	VV	13655	621146	100.00%	17.322%
7	13.058	12.948	13.119	BV	4390	190067	30.60%	5.300%
8	13.190	13.119	13.344	VV	8591	377573	60.79%	10.530%
9	13.917	13.803	14.022	PV	8296	368494	59.32%	10.276%
10	16.191	16.065	16.311	PV	8283	347906	56.01%	9.702%

Sum of corrected areas: 3585826

FB110122.M Fri Nov 11 07:44:35 2022