

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB111122\  
Data File : FB028927.D  
Signal(s) : FID2B.CH  
Acq On : 11 Nov 2022 7:02  
Sample : 20 PPB GRO STD  
Misc :  
ALS Vial : 36 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB110122.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.715       | 4.535        | 4.859      | PV       | 6278           | 498194       | 80.08%         | 13.419%       |
| 2         | 7.426       | 7.215        | 7.629      | PV       | 6733           | 573429       | 92.17%         | 15.445%       |
| 3         | 7.752       | 7.629        | 7.819      | VV       | 3181           | 173385       | 27.87%         | 4.670%        |
| 4         | 7.889       | 7.819        | 8.009      | VV       | 4287           | 217443       | 34.95%         | 5.857%        |
| 5         | 8.793       | 8.587        | 8.985      | BV       | 4905           | 268579       | 43.17%         | 7.234%        |
| 6         | 10.621      | 10.506       | 10.772     | VV       | 13675          | 622120       | 100.00%        | 16.757%       |
| 7         | 13.057      | 12.935       | 13.118     | PV       | 4509           | 196278       | 31.55%         | 5.287%        |
| 8         | 13.190      | 13.118       | 13.355     | VV       | 8880           | 390299       | 62.74%         | 10.513%       |
| 9         | 13.917      | 13.636       | 14.028     | BV       | 8683           | 385798       | 62.01%         | 10.391%       |
| 10        | 16.192      | 16.055       | 16.308     | PV       | 9272           | 387126       | 62.23%         | 10.427%       |

Sum of corrected areas: 3712653

FB110122.M Mon Nov 14 03:00:05 2022