

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB111122\
Data File : FB028948.D
Signal(s) : FID2B.CH
Acq On : 11 Nov 2022 21:05
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.722	4.541	4.865	PV	6180	478958	76.85%	13.256%
2	7.437	7.201	7.649	PV	6565	555299	89.10%	15.369%
3	7.762	7.649	7.830	VV	3237	174217	27.95%	4.822%
4	7.900	7.830	8.050	VV	4082	208477	33.45%	5.770%
5	8.804	8.665	8.933	PV	4517	246146	39.50%	6.813%
6	10.632	10.516	10.761	VV	13755	623206	100.00%	17.249%
7	13.068	12.946	13.129	VV	4531	197682	31.72%	5.471%
8	13.201	13.129	13.385	VV	8881	390726	62.70%	10.814%
9	13.927	13.569	14.036	VV	8450	376388	60.40%	10.417%
10	16.202	16.082	16.327	BV	8668	361961	58.08%	10.018%

Sum of corrected areas: 3613060

FB110122.M Mon Nov 14 03:04:58 2022