

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB111320\
Data File : FB025243.D
Signal(s) : FID2B.CH
Acq On : 13 Nov 2020 10:15
Sample : BSF1113S1
Misc : 5.02g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110320.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.689	4.483	4.823	BV	14277	1021659	84.31%	14.600%
2	7.418	7.200	7.640	BV	12906	1072158	88.47%	15.321%
3	7.759	7.640	7.826	VV	6471	353167	29.14%	5.047%
4	7.893	7.826	8.038	VB	8051	417936	34.49%	5.972%
5	8.801	8.650	9.018	BB	8382	467147	38.55%	6.676%
6	10.632	10.518	10.899	VB	26152	1211833	100.00%	17.317%
7	13.072	12.872	13.134	BV	8418	368356	30.40%	5.264%
8	13.205	13.134	13.376	VB	16655	734625	60.62%	10.498%
9	13.932	13.766	14.047	BV	16273	721659	59.55%	10.313%
10	16.210	16.045	16.324	BB	15057	629278	51.93%	8.992%

Sum of corrected areas: 6997817

FB110320.M Mon Nov 16 10:53:53 2020