

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB111418\
 Data File : FB018788.D
 Signal(s) : FID2B.CH
 Acq On : 14 Nov 2018 23:50
 Sample : J5767-13MS
 Misc : 5.01g/5.00ml DI WATER
 ALS Vial : 22 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110918.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.959	4.752	5.091	PV	5365	379817	48.26%	7.633%
2	5.150	5.091	5.247	VV	888	49434	6.28%	0.993%
3	5.258	5.247	5.344	VV	230	6139	0.78%	0.123%
4	5.640	5.497	5.731	BV	370	21413	2.72%	0.430%
5	6.822	6.767	6.857	PV	97	2863	0.36%	0.058%
6	6.963	6.936	6.984	VV	91	1705	0.22%	0.034%
7	7.022	6.984	7.040	VV	134	3147	0.40%	0.063%
8	7.087	7.040	7.116	VV	214	7789	0.99%	0.157%
9	7.129	7.116	7.224	VV	158	7261	0.92%	0.146%
10	7.723	7.526	7.922	VV	4891	395513	50.25%	7.948%
11	7.942	7.922	7.962	VV	84	1686	0.21%	0.034%
12	8.062	7.962	8.128	VV	2272	120149	15.27%	2.414%
13	8.201	8.128	8.317	VV	3074	157384	20.00%	3.163%
14	9.104	8.983	9.293	PV	2607	146655	18.63%	2.947%
15	9.328	9.293	9.351	VV	88	1792	0.23%	0.036%
16	9.409	9.371	9.419	VV	68	1389	0.18%	0.028%
17	9.484	9.419	9.514	VV	131	5274	0.67%	0.106%
18	9.533	9.514	9.566	VV	106	2785	0.35%	0.056%
19	9.583	9.566	9.605	VV	89	1593	0.20%	0.032%
20	9.668	9.605	9.680	VV	195	5154	0.65%	0.104%
21	9.735	9.680	9.784	VV	203	10559	1.34%	0.212%
22	9.795	9.784	9.856	VV	128	2560	0.33%	0.051%
23	10.085	9.980	10.171	VB	64	3840	0.49%	0.077%
24	10.545	10.485	10.585	VV	127	5581	0.71%	0.112%
25	10.693	10.585	10.711	VV	272	15564	1.98%	0.313%
26	10.728	10.711	10.802	VV	271	12705	1.61%	0.255%
27	10.955	10.802	11.251	VV	9093	440311	55.95%	8.848%
28	12.667	12.587	12.687	PV	85	2288	0.29%	0.046%
29	12.807	12.721	12.824	VV	107	3888	0.49%	0.078%
30	13.405	12.824	13.464	VV	4209	304626	38.71%	6.122%
31	13.537	13.464	13.637	VV	8150	447726	56.89%	8.997%
32	13.653	13.637	13.711	VV	1851	80609	10.24%	1.620%
33	13.728	13.711	14.162	VV	1823	310747	39.48%	6.245%
34	14.268	14.162	14.365	VV	7094	323885	41.15%	6.509%
35	14.896	14.365	14.913	VV	3817	477854	60.72%	9.603%
36	15.037	14.913	15.523	VV	4269	787041	100.00%	15.816%

					rteres.txt				
37	16.157	16.091	16.191	PV	71	2154	0.27%	0.043%	
38	16.551	16.191	16.650	PV	9235	421512	53.56%	8.471%	
39	16.703	16.650	16.719	VV	72	3781	0.48%	0.076%	
					Sum of corrected areas:	4976173			

FB110918.M Thu Nov 15 10:58:29 2018