

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB111422\
Data File : FB028995.D
Signal(s) : FID2B.CH
Acq On : 14 Nov 2022 16:15
Sample : 20 PPB GRO STD
Misc : 1.31G/5.00 ML DI WATER
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.709	4.533	4.842	PV	5681	438090	76.26%	12.916%
2	7.418	7.205	7.620	PV	5897	502117	87.40%	14.804%
3	7.747	7.620	7.814	VV	2898	157857	27.48%	4.654%
4	7.884	7.814	7.998	VV	3910	199072	34.65%	5.869%
5	8.789	8.551	8.946	BV	4791	263467	45.86%	7.768%
6	10.616	10.505	10.770	VV	12669	574501	100.00%	16.938%
7	13.053	12.913	13.114	VV	4205	183808	31.99%	5.419%
8	13.186	13.114	13.357	VV	8283	365715	63.66%	10.783%
9	13.912	13.770	14.016	PV	7990	354496	61.71%	10.452%
10	16.188	16.053	16.354	PV	8382	352620	61.38%	10.396%

Sum of corrected areas: 3391742

FB110122.M Tue Nov 15 06:25:55 2022