

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB111422\
Data File : FB029006.D
Signal(s) : FID2B.CH
Acq On : 14 Nov 2022 23:37
Sample : 20 PPB GRO STD
Misc : 1.31G/5.00 ML DI WATER
ALS Vial : 23 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.704	4.527	4.844	PV	5427	419260	77.64%	13.306%
2	7.413	7.192	7.608	BV	5296	441321	81.72%	14.006%
3	7.744	7.629	7.810	BV	2685	143109	26.50%	4.542%
4	7.880	7.810	8.006	VV	3678	187506	34.72%	5.951%
5	8.785	8.622	8.952	PV	4347	239393	44.33%	7.598%
6	10.613	10.499	10.738	VV	11921	540023	100.00%	17.139%
7	13.049	12.929	13.111	PV	3931	171229	31.71%	5.434%
8	13.182	13.111	13.335	VV	7701	340568	63.07%	10.809%
9	13.909	13.703	14.017	PV	7474	333765	61.81%	10.593%
10	16.184	16.032	16.297	PV	7958	334735	61.99%	10.623%

Sum of corrected areas: 3150908

FB110122.M Tue Nov 15 06:27:23 2022