

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB111422\  
Data File : FB029017.D  
Signal(s) : FID2B.CH  
Acq On : 15 Nov 2022 6:17  
Sample : 20 PPB GRO STD  
Misc :  
ALS Vial : 34 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB110122.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.703       | 4.529        | 4.838      | BV       | 5774           | 434303       | 78.64%         | 13.476%       |
| 2         | 7.414       | 7.161        | 7.604      | VV       | 5700           | 484254       | 87.69%         | 15.026%       |
| 3         | 7.743       | 7.618        | 7.810      | VV       | 2856           | 157654       | 28.55%         | 4.892%        |
| 4         | 7.879       | 7.810        | 8.016      | VV       | 3828           | 195953       | 35.48%         | 6.080%        |
| 5         | 8.783       | 8.629        | 8.913      | PV       | 3880           | 213526       | 38.66%         | 6.625%        |
| 6         | 10.611      | 10.494       | 10.755     | VV       | 12101          | 552261       | 100.00%        | 17.136%       |
| 7         | 13.048      | 12.947       | 13.108     | VV       | 3985           | 172673       | 31.27%         | 5.358%        |
| 8         | 13.180      | 13.108       | 13.371     | VV       | 7803           | 344935       | 62.46%         | 10.703%       |
| 9         | 13.907      | 13.625       | 14.009     | BV       | 7536           | 332951       | 60.29%         | 10.331%       |
| 10        | 16.182      | 16.030       | 16.302     | BV       | 8007           | 334315       | 60.54%         | 10.373%       |

Sum of corrected areas: 3222825

FB110122.M Tue Nov 15 06:40:12 2022