

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB111522\  
Data File : FB029035.D  
Signal(s) : FID2B.CH  
Acq On : 15 Nov 2022 21:48  
Sample : 20 PPB GRO STD  
Misc :  
ALS Vial : 20 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB110122.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.707       | 4.516        | 4.840      | PV       | 5448           | 419455       | 76.94%         | 12.847%       |
| 2         | 7.416       | 7.226        | 7.620      | PV       | 5761           | 489478       | 89.78%         | 14.992%       |
| 3         | 7.748       | 7.620        | 7.812      | VV       | 2679           | 147312       | 27.02%         | 4.512%        |
| 4         | 7.882       | 7.812        | 8.018      | VV       | 3756           | 192575       | 35.32%         | 5.898%        |
| 5         | 8.786       | 8.609        | 8.999      | BV       | 4500           | 247492       | 45.40%         | 7.580%        |
| 6         | 10.615      | 10.501       | 10.752     | PV       | 12048          | 545187       | 100.00%        | 16.698%       |
| 7         | 13.051      | 12.932       | 13.113     | BV       | 3997           | 173265       | 31.78%         | 5.307%        |
| 8         | 13.184      | 13.113       | 13.327     | VV       | 7894           | 346934       | 63.64%         | 10.626%       |
| 9         | 13.911      | 13.521       | 14.023     | PV       | 7782           | 346976       | 63.64%         | 10.627%       |
| 10        | 16.186      | 16.034       | 16.305     | PV       | 8501           | 356274       | 65.35%         | 10.912%       |

Sum of corrected areas: 3264949

FB110122.M Wed Nov 16 07:10:56 2022