

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB111524\
Data File : FB031221.D
Signal(s) : FID2B.CH
Acq On : 15 Nov 2024 18:15
Sample : BSF1115S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 18 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102824.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.721	4.582	4.900	BBA	14601	1073109	76.92%	13.656%
2	7.427	7.220	7.642	PV	14676	1311201	93.99%	16.685%
3	7.755	7.642	7.823	VV	7128	402000	28.82%	5.116%
4	7.894	7.823	8.091	VV	9160	502410	36.01%	6.393%
5	8.794	8.640	9.052	PV	8112	467504	33.51%	5.949%
6	10.623	10.508	11.008	VV	26730	1395024	100.00%	17.752%
7	13.060	12.942	13.121	VV	8585	404084	28.97%	5.142%
8	13.194	13.121	13.388	VV	16788	863414	61.89%	10.987%
9	13.922	13.726	14.058	PV	15939	807247	57.87%	10.272%
10	16.198	16.053	16.339	PV	14274	632432	45.33%	8.048%

Sum of corrected areas: 7858426

FB102824.M Mon Nov 18 03:09:13 2024