

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB111621\
Data File : FB026350.D
Signal(s) : FID2B.CH
Acq On : 16 Nov 2021 12:24
Sample : BSF1116S1
Misc : 4.99G\5.00ML DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102721.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.706	4.539	4.853	PV	6536	496354	80.65%	13.416%
2	7.437	7.213	7.631	PV	6487	583998	94.89%	15.785%
3	7.750	7.631	7.817	VV	3364	182218	29.61%	4.925%
4	7.887	7.817	8.018	VV	4247	216724	35.21%	5.858%
5	8.791	8.660	8.950	PV	4738	260182	42.27%	7.033%
6	10.619	10.512	10.757	VV	13550	615475	100.00%	16.636%
7	13.056	12.871	13.117	VV	4422	193492	31.44%	5.230%
8	13.189	13.117	13.343	VV	8681	382573	62.16%	10.341%
9	13.916	13.730	14.013	PV	8387	373624	60.71%	10.099%
10	16.192	16.062	16.319	BBA	9228	394956	64.17%	10.676%

Sum of corrected areas: 3699596

FB102721.M Wed Nov 17 12:35:59 2021