

Instrument :

FID_B

ClientSampleId :

PT-GAS-SOIL

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB
 Data File : FB030472.D
 Signal(s) : FID2B.CH
 Acq On : 16 Nov 2023 18:55
 Sample : 05047-15 500X
 Misc : 5.00G/5.00 ML ME0H
 ALS Vial : 14 Sample Multiplier: 1

Reviewed By :Yogesh Patel 11/17/2023
 Supervised By :Ankita Jodhani 11/17/2023

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110823.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.707	4.520	4.839	BV	3621	264636	7.75%	0.880%
2	5.692	5.504	5.779	PV	911	95687	2.80%	0.318%
3	5.960	5.779	6.003	VV	1144	116833	3.42%	0.389%
4	6.051	6.003	6.224	VV	1178	80911	2.37%	0.269%
5	6.375	6.224	6.530	VV	5032	357018	10.46%	1.187%
6	6.887	6.530	6.987	VV	8069	618312	18.11%	2.056%
7	7.139	6.987	7.262	VV	10415	928057	27.18%	3.086%
8	7.388	7.262	7.551	VV	10263	922428	27.02%	3.067%
9	7.743	7.551	7.841	VV	16169	1236832	36.23%	4.113%
10	7.865	7.841	7.974	VV	4796	235504	6.90%	0.783%
11	8.067	7.974	8.161	VV	2060	152573	4.47%	0.507%
12	8.253	8.161	8.347	VV	2036	149772	4.39%	0.498%
13	8.465	8.347	8.482	VV	2955	158522	4.64%	0.527%
14	8.561	8.482	8.678	VV	3927	320204	9.38%	1.065%
15	8.836	8.678	8.971	VV	13856	1240182	36.33%	4.124%
16	9.086	8.971	9.256	VV	3507	505465	14.81%	1.681%
17	9.383	9.256	9.533	VV	12697	1075805	31.51%	3.577%
18	9.638	9.533	9.941	VV	10081	876163	25.66%	2.914%
19	10.025	9.941	10.063	VV	873	52028	1.52%	0.173%
20	10.186	10.063	10.225	VV	5347	321233	9.41%	1.068%
21	10.298	10.225	10.402	VV	12593	787392	23.06%	2.618%
22	10.463	10.402	10.508	VV	3768	221231	6.48%	0.736%
23	10.611	10.508	10.726	VV	66891	3214082	94.14%	10.688%
24	10.781	10.726	10.864	VV	3114	194861	5.71%	0.648%
25	10.958	10.864	11.088	VV	3406	305158	8.94%	1.015%
26	11.159	11.088	11.320	VV	2153	181180	5.31%	0.602%
27	11.422	11.320	11.503	VV	879	79262	2.32%	0.264%
28	11.757	11.503	11.805	VV	6459	569421	16.68%	1.894%
29	11.871	11.805	11.974	VV	9473	545648	15.98%	1.815%
30	12.086	11.974	12.201	VV	7161	461637	13.52%	1.535%
31	12.331	12.201	12.607	VV	1613	292562	8.57%	0.973%

32	12.758	12.607	12.894	VV	9768	578743	16.95%	1.925%
33	13.046	12.894	13.102	VV	23386	116291		
34	13.178	13.102	13.421	VV	74603	341411		
35	13.533	13.421	13.652	VV	3243	22918		
36	13.907	13.652	14.004	VV	30309	148116		
37	14.099	14.004	14.136	VV	4801	280516	8.22%	0.933%
38	14.192	14.136	14.324	VV	5137	389009	11.39%	1.294%
39	14.416	14.324	14.477	VV	3360	209299	6.13%	0.696%
40	14.519	14.477	14.634	VV	2425	123882	3.63%	0.412%
41	14.691	14.634	14.750	VV	425	23850	0.70%	0.079%
42	14.873	14.750	14.962	VV	820	86208	2.53%	0.287%
43	15.059	14.962	15.129	VV	5559	304777	8.93%	1.014%
44	15.215	15.129	15.298	VV	9154	494977	14.50%	1.646%
45	15.395	15.298	15.462	VV	31556	1582260	46.34%	5.262%
46	15.492	15.462	15.619	VV	13845	564018	16.52%	1.876%
47	15.662	15.619	15.728	VV	357	15558	0.46%	0.052%
48	15.795	15.728	15.837	PV	404	16400	0.48%	0.055%
49	15.940	15.837	16.063	VV	9209	445175	13.04%	1.480%
50	16.182	16.063	16.303	VV	46834	2014699	59.01%	6.700%
51	16.383	16.303	16.404	VBA	1994	94086	2.76%	0.313%
Sum of corrected areas:						30071427		

Instrument :

FID_B

ClientSampleId :

PT-GAS-SOIL

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/17/2023
Supervised By :Ankita Jodhani 11/17/2023

FB110823.M Fri Nov 17 00:48:09 2023