

Instrument :

FID_B

ClientSampleId :

PT-GAS-SOIL

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB
 Data File : FB030473.D
 Signal(s) : FID2B.CH
 Acq On : 16 Nov 2023 19:33
 Sample : 05047-15 1000X
 Misc : 5.00G/5.00 ML ME0H
 ALS Vial : 15 Sample Multiplier: 1

Reviewed By :Yogesh Patel 11/17/2023
 Supervised By :Ankita Jodhani 11/17/2023

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110823.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.699	4.504	4.818	BV	1813	130555	8.96%	1.067%
2	5.019	4.950	5.189	VV	1692	138691	9.52%	1.134%
3	5.200	5.189	5.209	PV	26	190	0.01%	0.002%
4	5.656	5.505	5.663	PV	445	21054	1.45%	0.172%
5	5.672	5.663	5.787	VV	439	24134	1.66%	0.197%
6	5.946	5.787	6.006	VV	520	51723	3.55%	0.423%
7	6.024	6.006	6.033	VV	484	7633	0.52%	0.062%
8	6.051	6.033	6.209	VV	489	23127	1.59%	0.189%
9	6.223	6.209	6.232	PV	16	132	0.01%	0.001%
10	6.372	6.232	6.518	VV	2380	162684	11.17%	1.330%
11	6.531	6.518	6.544	VV	17	152	0.01%	0.001%
12	6.574	6.544	6.583	PV	28	294	0.02%	0.002%
13	6.885	6.583	6.985	VV	3780	286218	19.65%	2.340%
14	7.139	6.985	7.259	VV	4600	405189	27.82%	3.313%
15	7.381	7.259	7.545	VV	4299	376702	25.87%	3.080%
16	7.742	7.545	7.842	VV	7880	580435	39.85%	4.746%
17	7.868	7.842	7.972	VV	2044	96651	6.64%	0.790%
18	8.067	7.972	8.165	VV	834	60513	4.15%	0.495%
19	8.255	8.165	8.340	VV	765	51685	3.55%	0.423%
20	8.461	8.340	8.476	VV	1103	54935	3.77%	0.449%
21	8.558	8.476	8.670	VV	1442	114381	7.85%	0.935%
22	8.802	8.670	8.968	VV	7809	658754	45.23%	5.386%
23	9.084	8.968	9.252	VV	1284	166874	11.46%	1.364%
24	9.383	9.252	9.532	VV	5342	430008	29.53%	3.516%
25	9.637	9.532	9.941	VV	4245	338502	23.24%	2.768%
26	10.017	9.941	10.062	VV	181	10028	0.69%	0.082%
27	10.186	10.062	10.219	VV	1913	103972	7.14%	0.850%
28	10.297	10.219	10.408	VV	5922	367614	25.24%	3.006%
29	10.451	10.408	10.507	VV	1451	79972	5.49%	0.654%
30	10.610	10.507	10.726	VV	30929	1456391	100.00%	11.908%
31	10.781	10.726	10.864	VV	1066	63756	4.38%	0.521%

32	10.956	10.864	11.088	VV	1239	105666	7.26%	0.864%
33	11.159	11.088	11.317	VV	792	5943		
34	11.443	11.317	11.514	VV	431	3583		
35	11.757	11.514	11.804	VV	2453	20675		
36	11.871	11.804	11.978	VV	3882	21643		
37	12.085	11.978	12.218	VV	2719	154232	10.59%	1.261%
38	12.326	12.218	12.429	VV	181	14208	0.98%	0.116%
39	12.525	12.429	12.587	VV	100	6160	0.42%	0.050%
40	12.757	12.587	12.897	VV	4050	220222	15.12%	1.801%
41	13.045	12.897	13.102	VV	9863	475625	32.66%	3.889%
42	13.177	13.102	13.419	VV	31051	1394566	95.75%	11.402%
43	13.531	13.419	13.654	VV	1158	75377	5.18%	0.616%
44	13.906	13.654	13.999	VV	11850	567792	38.99%	4.642%
45	14.095	13.999	14.138	VV	1891	115002	7.90%	0.940%
46	14.187	14.138	14.321	VV	1855	129471	8.89%	1.059%
47	14.416	14.321	14.475	VV	1096	62482	4.29%	0.511%
48	14.520	14.475	14.628	VV	801	36108	2.48%	0.295%
49	14.701	14.628	14.747	PV	101	4720	0.32%	0.039%
50	14.836	14.747	14.884	VV	243	14198	0.97%	0.116%
51	15.060	14.884	15.124	VV	2040	122379	8.40%	1.001%
52	15.214	15.124	15.298	VV	3634	210168	14.43%	1.718%
53	15.395	15.298	15.461	VV	11594	584675	40.15%	4.781%
54	15.491	15.461	15.619	VV	4961	199898	13.73%	1.634%
55	15.666	15.619	15.724	VV	93	3986	0.27%	0.033%
56	15.940	15.724	16.074	PV	3526	200619	13.78%	1.640%
57	16.181	16.074	16.300	VV	16508	712423	48.92%	5.825%
58	16.382	16.300	16.404	VBA	782	39031	2.68%	0.319%
Sum of corrected areas:						12230404		

Instrument :
FID_B
ClientSampleId :
PT-GAS-SOIL

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/17/2023
Supervised By :Ankita Jodhani 11/17/2023

FB110823.M Fri Nov 17 00:48:42 2023