

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB111721\
Data File : FB026357.D
Signal(s) : FID2B.CH
Acq On : 17 Nov 2021 12:41
Sample : BSF1117S1
Misc : 5.01G\5.00ML DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102721.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.705	4.537	4.847	PV	6243	471584	78.39%	13.183%
2	7.437	7.243	7.642	VV	6255	564967	93.91%	15.794%
3	7.747	7.642	7.817	VV	3234	174787	29.05%	4.886%
4	7.885	7.817	8.017	VV	4084	207686	34.52%	5.806%
5	8.791	8.656	8.950	PV	4397	241693	40.18%	6.757%
6	10.618	10.506	10.809	VV	13200	601581	100.00%	16.817%
7	13.055	12.946	13.116	VV	4309	188414	31.32%	5.267%
8	13.188	13.116	13.365	VV	8549	376751	62.63%	10.532%
9	13.915	13.560	14.013	PV	8293	369277	61.38%	10.323%
10	16.190	16.062	16.319	BBA	9039	380426	63.24%	10.635%

Sum of corrected areas: 3577166

FB102721.M Thu Nov 18 10:48:36 2021