

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB111722\
Data File : FB029048.D
Signal(s) : FID2B.CH
Acq On : 17 Nov 2022 10:38
Sample : BSF1117S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.707	4.540	4.863	PV	5251	405391	75.15%	12.460%
2	7.415	7.190	7.635	BV	5629	478880	88.77%	14.718%
3	7.747	7.635	7.814	VV	2600	142067	26.34%	4.366%
4	7.884	7.814	8.011	VV	3669	187493	34.76%	5.763%
5	8.789	8.615	9.027	PV	5000	276583	51.27%	8.501%
6	10.617	10.507	10.751	VV	11868	539438	100.00%	16.579%
7	13.054	12.947	13.115	VV	3996	173852	32.23%	5.343%
8	13.187	13.115	13.341	VV	7919	347629	64.44%	10.684%
9	13.913	13.761	14.018	BV	7728	346916	64.31%	10.662%
10	16.189	16.055	16.319	PV	8494	355413	65.89%	10.923%

Sum of corrected areas: 3253663

FB110122.M Fri Nov 18 06:13:13 2022