

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB111824\
Data File : FB031242.D
Signal(s) : FID2B.CH
Acq On : 18 Nov 2024 14:38
Sample : BSF1118S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 8 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102824.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.719	4.582	4.900	BBA	14437	1082913	75.13%	13.512%
2	7.424	7.198	7.645	PV	14960	1350297	93.68%	16.849%
3	7.755	7.645	7.823	VV	7179	407909	28.30%	5.090%
4	7.893	7.823	8.125	VV	9479	522591	36.25%	6.521%
5	8.794	8.652	8.985	PV	7496	429431	29.79%	5.358%
6	10.624	10.508	10.967	VV	27548	1441433	100.00%	17.986%
7	13.060	12.923	13.121	BV	8800	414354	28.75%	5.170%
8	13.194	13.121	13.538	VV	17286	889487	61.71%	11.099%
9	13.922	13.767	14.051	PV	16429	828305	57.46%	10.335%
10	16.197	16.043	16.401	BBA	14643	647546	44.92%	8.080%

Sum of corrected areas: 8014266

FB102824.M Tue Nov 19 00:13:55 2024