

rteres

Area Percent

Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB112224\
Data File : FB031259.D
Signal(s) : FID2B.CH
Acq On : 22 Nov 2024 12:14
Sample : BSF1122S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB112124.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.723	4.582	4.900	BBA	15910	1173208	81.13%	13.920%
2	7.427	7.178	7.642	PV	15624	1383262	95.65%	16.412%
3	7.757	7.642	7.825	VV	7890	444037	30.71%	5.268%
4	7.895	7.825	8.065	VV	9509	517504	35.79%	6.140%
5	8.796	8.632	9.038	PV	11793	678417	46.91%	8.049%
6	10.624	10.502	10.972	VV	27770	1446115	100.00%	17.158%
7	13.061	12.885	13.122	PV	8817	413631	28.60%	4.908%
8	13.195	13.122	13.424	VV	17336	889972	61.54%	10.559%
9	13.923	13.731	14.085	BV	16381	826587	57.16%	9.807%
10	16.199	16.052	16.403	PBA	14789	655540	45.33%	7.778%

Sum of corrected areas: 8428272

FB112124.M Sat Nov 23 00:28:48 2024