

rteres

Area Percent

Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB112224\
Data File : FB031263.D
Signal(s) : FID2B.CH
Acq On : 22 Nov 2024 14:39
Sample : BSF1122S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 8 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB112124.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.719	4.582	4.900	BBA	17626	1332756	83.75%	14.522%
2	7.425	7.182	7.644	PV	17374	1550533	97.43%	16.895%
3	7.756	7.644	7.826	VV	8777	493557	31.01%	5.378%
4	7.896	7.826	8.047	VV	10423	564597	35.48%	6.152%
5	8.796	8.646	9.010	PV	10361	595002	37.39%	6.483%
6	10.625	10.503	10.950	VV	30341	1591425	100.00%	17.341%
7	13.062	12.937	13.123	BV	9588	451688	28.38%	4.922%
8	13.196	13.123	13.388	VV	18884	971504	61.05%	10.586%
9	13.924	13.767	14.129	BV	17972	912070	57.31%	9.938%
10	16.200	16.057	16.346	BV	16168	714349	44.89%	7.784%

Sum of corrected areas: 9177482

FB112124.M Sat Nov 23 00:29:25 2024