

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB112520\
Data File : FB025277.D
Signal(s) : FID2B.CH
Acq On : 25 Nov 2020 10:43
Sample : BSF1125S1
Misc : 5.00g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110320.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.684	4.521	4.815	PV	14033	987928	82.10%	14.232%
2	7.414	7.214	7.625	PV	12936	1075972	89.41%	15.500%
3	7.755	7.625	7.821	VV	6427	350193	29.10%	5.045%
4	7.889	7.821	8.015	VV	8198	424426	35.27%	6.114%
5	8.796	8.497	8.995	BV	8106	453828	37.71%	6.538%
6	10.627	10.484	10.866	BV	26271	1203386	100.00%	17.336%
7	13.068	12.878	13.129	BV	8450	369089	30.67%	5.317%
8	13.200	13.129	13.385	VB	16691	738682	61.38%	10.641%
9	13.928	13.638	14.050	BV	16263	712797	59.23%	10.269%
10	16.206	16.065	16.363	BB	14885	625244	51.96%	9.007%

Sum of corrected areas: 6941545

FB110320.M Thu Nov 26 00:24:25 2020