

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB112619\  
Data File : FB023097.D  
Signal(s) : FID2B.CH  
Acq On : 26 Nov 2019 12:03  
Sample : BSF1126S1  
Misc : 5.01g/5.00ml DI WATER  
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB112219.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.686       | 4.517        | 4.828      | BV       | 15141          | 1072130      | 80.13%         | 14.142%       |
| 2         | 7.414       | 7.210        | 7.604      | PV       | 14209          | 1181101      | 88.27%         | 15.579%       |
| 3         | 7.755       | 7.620        | 7.821      | VV       | 7059           | 385436       | 28.81%         | 5.084%        |
| 4         | 7.889       | 7.821        | 8.033      | VV       | 8657           | 451115       | 33.71%         | 5.950%        |
| 5         | 8.796       | 8.625        | 9.031      | BV       | 9863           | 555005       | 41.48%         | 7.321%        |
| 6         | 10.628      | 10.509       | 10.958     | VV       | 28759          | 1338034      | 100.00%        | 17.649%       |
| 7         | 13.068      | 12.783       | 13.130     | VV       | 9663           | 423103       | 31.62%         | 5.581%        |
| 8         | 13.201      | 13.130       | 13.446     | VV       | 18020          | 798867       | 59.70%         | 10.537%       |
| 9         | 13.929      | 13.780       | 14.044     | BV       | 17053          | 756245       | 56.52%         | 9.975%        |
| 10        | 16.207      | 16.087       | 16.357     | VV       | 14579          | 620407       | 46.37%         | 8.183%        |

Sum of corrected areas: 7581443

FB112219.M Wed Nov 27 12:16:02 2019