

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB112624\
Data File : FB031268.D
Signal(s) : FID2B.CH
Acq On : 26 Nov 2024 11:57
Sample : BSF1126S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB112124.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.719	4.582	4.900	BBA	16473	1205138	81.76%	14.359%
2	7.425	7.231	7.637	PV	16014	1403899	95.25%	16.728%
3	7.755	7.637	7.823	VV	7989	448588	30.43%	5.345%
4	7.893	7.823	8.105	VV	9678	531087	36.03%	6.328%
5	8.793	8.659	8.959	PV	8240	467578	31.72%	5.571%
6	10.622	10.497	10.960	VV	28566	1473933	100.00%	17.562%
7	13.058	12.798	13.119	BV	9126	425160	28.85%	5.066%
8	13.191	13.119	13.427	VV	17962	909202	61.69%	10.833%
9	13.919	13.792	14.062	PV	16986	846905	57.46%	10.091%
10	16.195	16.081	16.366	PV	15437	681262	46.22%	8.117%

Sum of corrected areas: 8392753

FB112124.M Wed Nov 27 00:55:31 2024