

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB112624\
Data File : FB031272.D
Signal(s) : FID2B.CH
Acq On : 26 Nov 2024 14:28
Sample : BSF1126S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 8 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB112124.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.722	4.582	4.900	BBA	16562	1258838	82.03%	14.279%
2	7.427	7.198	7.646	BV	15907	1461004	95.20%	16.572%
3	7.757	7.646	7.825	VV	8421	478198	31.16%	5.424%
4	7.896	7.825	8.094	VV	10080	555252	36.18%	6.298%
5	8.796	8.618	9.266	BB	9698	572096	37.28%	6.489%
6	10.624	10.509	10.945	VV	29457	1534686	100.00%	17.408%
7	13.060	12.932	13.121	BV	9382	440424	28.70%	4.996%
8	13.194	13.121	13.390	VV	18470	943213	61.46%	10.699%
9	13.922	13.658	14.065	BV	17440	877871	57.20%	9.958%
10	16.198	16.080	16.324	BV	15686	694321	45.24%	7.876%

Sum of corrected areas: 8815903

FB112124.M Wed Nov 27 00:55:57 2024