

Instrument :

FID\_B

ClientSampleId :

BSF1206S2

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB  
Data File : FB030493.D  
Signal(s) : FID2B.CH  
Acq On : 6 Dec 2023 15:58  
Sample : BSF1206S2  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 10 Sample Multiplier: 1

Reviewed By :Yogesh Patel 12/07/2023  
Supervised By :Ankita Jodhani 12/07/2023

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB112823.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.704       | 4.537        | 4.843      | PV       | 8155           | 613445       | 77.93%         | 13.987%       |
| 2         | 7.409       | 7.210        | 7.617      | VV       | 7167           | 599840       | 76.21%         | 13.677%       |
| 3         | 7.744       | 7.617        | 7.812      | VV       | 4138           | 225187       | 28.61%         | 5.135%        |
| 4         | 7.881       | 7.812        | 8.009      | VV       | 5166           | 262881       | 33.40%         | 5.994%        |
| 5         | 8.785       | 8.598        | 8.991      | BV       | 4602           | 252892       | 32.13%         | 5.766%        |
| 6         | 10.613      | 10.496       | 10.894     | VV       | 17121          | 787127       | 100.00%        | 17.948%       |
| 7         | 13.049      | 12.815       | 13.110     | BV       | 5530           | 242337       | 30.79%         | 5.526%        |
| 8         | 13.182      | 13.110       | 13.361     | VV       | 10951          | 480401       | 61.03%         | 10.954%       |
| 9         | 13.909      | 13.500       | 14.017     | BV       | 10470          | 462708       | 58.78%         | 10.550%       |
| 10        | 16.184      | 16.066       | 16.305     | PV       | 10969          | 458861       | 58.30%         | 10.463%       |

Sum of corrected areas: 4385681

FB112823.M Thu Dec 07 02:08:49 2023