

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB120825\  
Data File : FB032403.D  
Signal(s) : FID2B.CH  
Acq On : 8 Dec 2025 11:38  
Sample : BSF1208S1  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 5 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB120525.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.713       | 4.559        | 4.870      | BV       | 12708          | 919629       | 70.93%         | 12.640%       |
| 2         | 7.423       | 7.184        | 7.629      | BV       | 13116          | 1130865      | 87.23%         | 15.543%       |
| 3         | 7.753       | 7.629        | 7.823      | VV       | 6703           | 372133       | 28.70%         | 5.115%        |
| 4         | 7.893       | 7.823        | 8.222      | VV       | 8079           | 442844       | 34.16%         | 6.087%        |
| 5         | 8.794       | 8.646        | 9.107      | PV       | 7634           | 439452       | 33.90%         | 6.040%        |
| 6         | 10.622      | 10.474       | 10.936     | BV       | 26038          | 1296467      | 100.00%        | 17.819%       |
| 7         | 13.058      | 12.779       | 13.118     | VV       | 8518           | 391474       | 30.20%         | 5.381%        |
| 8         | 13.191      | 13.118       | 13.388     | VV       | 16901          | 821650       | 63.38%         | 11.293%       |
| 9         | 13.918      | 13.622       | 14.067     | BV       | 16457          | 789105       | 60.87%         | 10.846%       |
| 10        | 16.193      | 16.049       | 16.403     | PBA      | 15438          | 671956       | 51.83%         | 9.236%        |

Sum of corrected areas: 7275573

FB120525.M Mon Dec 08 13:08:44 2025