

rters

Instrument :

FID_B

ClientSampleId :

B50-SP11-112525

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Rahul Chavli 12/09/2025
Supervised By :Yogesh Patel 12/09/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB12082
Data File : FB032413.D
Signal(s) : FID2B.CH
Acq On : 8 Dec 2025 17:32
Sample : Q3741-05
Misc : 5.22G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB120525.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.878	5.845	6.179	PV	146	8338	0.06%	0.011%
2	6.187	6.179	6.224	PV	17	77	0.00%	0.000%
3	6.361	6.224	6.737	PV	3177	291885	2.17%	0.370%
4	7.132	6.972	7.236	VV	6785	671049	4.98%	0.850%
5	7.363	7.236	7.564	VV	12546	1424872	10.58%	1.805%
6	7.731	7.564	7.814	VV	14220	1144763	8.50%	1.450%
7	7.876	7.814	8.179	VV	9576	777530	5.77%	0.985%
8	8.249	8.179	8.341	VV	479	26599	0.20%	0.034%
9	8.564	8.341	8.670	PV	2081	218925	1.63%	0.277%
10	8.845	8.670	9.251	VV	28420	3608140	26.80%	4.571%
11	9.384	9.251	9.532	VV	18869	1632623	12.13%	2.068%
12	9.632	9.532	9.975	VV	16999	1426800	10.60%	1.808%
13	9.999	9.975	10.064	VV	258	9582	0.07%	0.012%
14	10.294	10.064	10.408	PV	20762	1722654	12.79%	2.182%
15	10.450	10.408	10.516	VV	5349	321254	2.39%	0.407%
16	10.623	10.516	10.879	VV	78772	5228942	38.84%	6.625%
17	10.948	10.879	11.066	VV	6905	579759	4.31%	0.734%
18	11.159	11.066	11.357	VV	7739	674224	5.01%	0.854%
19	11.457	11.357	11.483	VV	1216	81040	0.60%	0.103%
20	11.764	11.483	11.799	VV	17479	1417346	10.53%	1.796%
21	11.873	11.799	11.983	VV	33971	2051109	15.23%	2.599%
22	12.089	11.983	12.251	VV	22922	1378500	10.24%	1.746%
23	12.332	12.251	12.430	VV	1731	106715	0.79%	0.135%
24	12.548	12.430	12.578	PV	699	39304	0.29%	0.050%
25	12.761	12.578	12.903	VV	27721	1691039	12.56%	2.142%
26	13.063	12.903	13.115	VV	60397	3358832	24.95%	4.255%
27	13.197	13.115	13.431	VV	231811	13464113	100.00%	17.058%
28	13.532	13.431	13.646	VV	15163	957900	7.11%	1.214%
29	13.929	13.646	14.028	VV	74769	4589061	34.08%	5.814%
30	14.192	14.028	14.322	VV	32912	3368260	25.02%	4.267%
31	14.424	14.322	14.493	VV	20103	1052466	7.82%	1.333%
32	14.542	14.493	14.640	VV	9657	486363	3.61%	0.616%
33	14.695	14.640	14.756	VV	1240	50188	0.37%	0.064%
34	14.835	14.756	14.907	PV	3194	179720	1.33%	0.228%
35	15.064	14.907	15.149	VV	61838	3157925	23.45%	4.001%
36	15.236	15.149	15.318	VV	50246	2884473	21.42%	3.654%

					rt	Area	Area%	Height
37	15.418	15.318	15.480	VV	202487	10899153	80.95%	13.808%
38	15.511	15.480	15.636	VV	115096	5168566	38.95%	13.808%
39	15.671	15.636	15.734	VV	5860	257183	4.42%	13.808%
40	15.796	15.734	15.861	VV	6411	295769	4.42%	13.808%
41	15.958	15.861	16.090	VV	44559	2229811	16.95%	13.808%
Sum of corrected areas:					789			

Instrument :
FID_B
ClientSampleId :
B50-SP11-112525

Manual IntegrationsAPPROVED

Reviewed By :Rahul Chavli 12/09/2025
Supervised By :Yogesh Patel 12/09/2025

FB120525.M Tue Dec 09 04:16:41 2025