

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB120919\
 Data File : FB023170.D
 Signal(s) : FID2B.CH
 Acq On : 9 Dec 2019 18:52
 Sample : K6204-06
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB112219.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	8.799	8.631	8.938	BV	7407	409947	100.00%	42.898%
2	9.330	9.241	9.341	PV	139	4133	1.01%	0.433%
3	9.352	9.341	9.381	VV	139	3277	0.80%	0.343%
4	9.388	9.381	9.516	VV	143	6047	1.48%	0.633%
5	9.788	9.726	9.839	PV	53	1816	0.44%	0.190%
6	10.192	10.092	10.267	PV	134	7826	1.91%	0.819%
7	10.328	10.267	10.382	VV	118	5771	1.41%	0.604%
8	10.402	10.382	10.437	VV	61	1445	0.35%	0.151%
9	10.443	10.437	10.482	VB	38	542	0.13%	0.057%
10	10.634	10.573	10.691	PV	102	3612	0.88%	0.378%
11	10.792	10.726	10.799	PV	109	2843	0.69%	0.297%
12	10.804	10.799	10.888	VV	109	2991	0.73%	0.313%
13	10.975	10.902	10.982	VV	128	3319	0.81%	0.347%
14	10.992	10.982	11.017	VV	133	2396	0.58%	0.251%
15	11.473	11.339	11.479	PV	124	4946	1.21%	0.518%
16	11.484	11.479	11.518	VV	121	2483	0.61%	0.260%
17	11.525	11.518	11.556	VV	95	1813	0.44%	0.190%
18	11.772	11.606	11.840	VV	404	34883	8.51%	3.650%
19	11.896	11.840	11.984	VV	296	16296	3.98%	1.705%
20	12.096	11.995	12.201	VV	292	20256	4.94%	2.120%
21	12.569	12.505	12.597	VV	47	1581	0.39%	0.165%
22	12.782	12.687	12.899	VV	461	29009	7.08%	3.036%
23	12.906	12.899	12.915	VV	85	741	0.18%	0.078%
24	13.066	12.915	13.126	VV	692	43235	10.55%	4.524%
25	13.202	13.126	13.305	VV	2102	94306	23.00%	9.868%
26	13.574	13.431	13.685	VV	223	16536	4.03%	1.730%
27	13.824	13.721	13.834	VV	157	6109	1.49%	0.639%
28	13.933	13.834	14.021	VV	1084	53265	12.99%	5.574%
29	14.129	14.021	14.314	VV	459	42567	10.38%	4.454%
30	14.411	14.314	14.420	VV	122	6049	1.48%	0.633%
31	14.436	14.420	14.503	VV	121	3843	0.94%	0.402%
32	14.567	14.537	14.612	PV	69	1791	0.44%	0.187%
33	14.845	14.693	14.974	BV	166	10184	2.48%	1.066%
34	15.088	14.991	15.166	VV	186	10329	2.52%	1.081%
35	15.196	15.166	15.209	VV	77	1895	0.46%	0.198%
36	15.222	15.209	15.294	VB	70	2117	0.52%	0.222%

					rteres				
37	15.508	15.366	15.656	VV	281	20079	4.90%	2.101%	
38	15.721	15.656	15.789	PV	64	2332	0.57%	0.244%	
39	15.981	15.884	16.132	BV	375	23878	5.82%	2.499%	
40	16.213	16.132	16.283	PV	245	12497	3.05%	1.308%	
41	16.311	16.283	16.325	VV	119	2626	0.64%	0.275%	
42	16.332	16.325	16.341	VV	108	992	0.24%	0.104%	
43	16.451	16.341	16.565	VV	531	33033	8.06%	3.457%	
					Sum of corrected areas:		955636		

FB112219.M Fri Dec 13 10:58:10 2019