

rteres

Area Percent

Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB120925\
 Data File : FB032421.D
 Signal(s) : FID2B.CH
 Acq On : 9 Dec 2025 13:16
 Sample : BSF1209S2
 Misc : 5.00G/5.00 ML DI WATER
 ALS Vial : 6 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB120525.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.714	4.559	4.876	BV	13461	973028	70.76%	12.774%
2	7.421	7.196	7.632	PV	13772	1181119	85.89%	15.505%
3	7.753	7.632	7.822	VV	6962	386821	28.13%	5.078%
4	7.893	7.822	8.200	VV	8420	462897	33.66%	6.077%
5	8.793	8.595	9.063	BV	8456	484856	35.26%	6.365%
6	10.622	10.499	11.039	VB	27034	1375187	100.00%	18.053%
7	13.059	12.809	13.120	BV	8712	403417	29.34%	5.296%
8	13.192	13.120	13.566	VB	17308	852790	62.01%	11.195%
9	13.920	13.633	14.056	BV	16692	804629	58.51%	10.563%
10	16.196	16.077	16.327	PV	15702	692789	50.38%	9.095%

Sum of corrected areas: 7617531

FB120525.M Wed Dec 10 01:17:56 2025