

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB121120\
Data File : FB025334.D
Signal(s) : FID2B.CH
Acq On : 11 Dec 2020 11:13
Sample : BSF1211S2
Misc : 5.02g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB120220.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.687	4.496	4.821	PV	12233	876487	85.53%	14.761%
2	7.417	7.147	7.620	BV	10965	913113	89.10%	15.378%
3	7.757	7.636	7.824	VV	5527	300374	29.31%	5.059%
4	7.892	7.824	8.038	VV	6890	357619	34.90%	6.023%
5	8.799	8.625	8.949	BV	7237	404003	39.42%	6.804%
6	10.630	10.518	10.868	VB	22192	1024790	100.00%	17.259%
7	13.070	12.920	13.132	BV	7122	309755	30.23%	5.217%
8	13.203	13.132	13.368	VB	14090	621839	60.68%	10.473%
9	13.930	13.760	14.053	BV	13754	600560	58.60%	10.114%
10	16.208	15.867	16.329	BB	12430	529154	51.64%	8.912%

Sum of corrected areas: 5937693

FB120220.M Fri Dec 11 22:34:42 2020