

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB121121\  
Data File : FB026460.D  
Signal(s) : FID2B.CH  
Acq On : 10 Dec 2021 23:37  
Sample : BSF1211S1  
Misc : 5.00G/5.00ML ME0H  
ALS Vial : 13 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB120821.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.708       | 4.528        | 4.852      | BV       | 6789           | 518822       | 80.03%         | 13.632%       |
| 2         | 7.438       | 7.182        | 7.630      | PV       | 6633           | 592223       | 91.35%         | 15.561%       |
| 3         | 7.751       | 7.630        | 7.819      | VV       | 3561           | 193361       | 29.83%         | 5.081%        |
| 4         | 7.887       | 7.819        | 8.007      | VV       | 4506           | 228105       | 35.19%         | 5.993%        |
| 5         | 8.791       | 8.666        | 8.928      | VV       | 4373           | 240340       | 37.07%         | 6.315%        |
| 6         | 10.620      | 10.506       | 10.757     | VV       | 14270          | 648276       | 100.00%        | 17.033%       |
| 7         | 13.057      | 12.931       | 13.118     | VV       | 4630           | 201212       | 31.04%         | 5.287%        |
| 8         | 13.190      | 13.118       | 13.354     | VV       | 9129           | 402375       | 62.07%         | 10.572%       |
| 9         | 13.917      | 13.610       | 14.032     | PV       | 8830           | 393690       | 60.73%         | 10.344%       |
| 10        | 16.192      | 16.068       | 16.319     | BBA      | 9221           | 387532       | 59.78%         | 10.182%       |

Sum of corrected areas: 3805937

FB120821.M Mon Dec 13 08:52:20 2021