

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB121622\  
Data File : FB029064.D  
Signal(s) : FID2B.CH  
Acq On : 16 Dec 2022 11:56  
Sample : BSF1216S1  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB112822.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.715       | 4.537        | 4.857      | BV       | 5646           | 442288       | 84.89%         | 14.208%       |
| 2         | 7.423       | 7.215        | 7.637      | PV       | 5530           | 464437       | 89.15%         | 14.919%       |
| 3         | 7.753       | 7.637        | 7.821      | VV       | 2791           | 150824       | 28.95%         | 4.845%        |
| 4         | 7.890       | 7.821        | 8.010      | VV       | 3537           | 179041       | 34.37%         | 5.751%        |
| 5         | 8.795       | 8.612        | 8.943      | PV       | 4156           | 228488       | 43.86%         | 7.340%        |
| 6         | 10.623      | 10.495       | 10.777     | VV       | 11441          | 520984       | 100.00%        | 16.736%       |
| 7         | 13.060      | 12.832       | 13.121     | PV       | 3748           | 164531       | 31.58%         | 5.285%        |
| 8         | 13.192      | 13.121       | 13.349     | VV       | 7419           | 326071       | 62.59%         | 10.475%       |
| 9         | 13.920      | 13.799       | 14.036     | PV       | 7204           | 319438       | 61.31%         | 10.261%       |
| 10        | 16.195      | 16.088       | 16.319     | VV       | 7574           | 316892       | 60.83%         | 10.180%       |

Sum of corrected areas: 3112993

FB112822.M Sat Dec 17 14:36:02 2022