

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB121624\
Data File : FB031287.D
Signal(s) : FID2B.CH
Acq On : 16 Dec 2024 11:59
Sample : 20 GRO STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB121624.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.717	4.559	4.861	BV	12913	944399	78.07%	13.518%
2	7.419	7.130	7.626	VV	13154	1139643	94.21%	16.312%
3	7.751	7.626	7.818	VV	6060	341701	28.25%	4.891%
4	7.889	7.818	8.214	VV	7877	437821	36.19%	6.267%
5	8.789	8.626	8.985	PV	9349	533766	44.12%	7.640%
6	10.616	10.499	10.920	VV	23376	1209730	100.00%	17.315%
7	13.052	12.815	13.113	BV	7563	353165	29.19%	5.055%
8	13.186	13.113	13.391	VV	14906	752958	62.24%	10.777%
9	13.913	13.769	14.038	PV	14134	706211	58.38%	10.108%
10	16.189	16.035	16.325	BV	12835	567093	46.88%	8.117%

Sum of corrected areas: 6986487

FB121624.M Tue Dec 17 03:27:12 2024