

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB121624\
Data File : FB031288.D
Signal(s) : FID2B.CH
Acq On : 16 Dec 2024 12:26
Sample : 50 GRO STD
Misc :
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB121624.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.715	4.548	4.942	BV	34084	2622444	80.09%	14.071%
2	7.421	7.200	7.640	PV	33287	3051388	93.18%	16.372%
3	7.749	7.640	7.817	VV	16719	950080	29.01%	5.098%
4	7.888	7.817	8.156	VV	21511	1194073	36.47%	6.407%
5	8.788	8.590	9.032	BV	20435	1184729	36.18%	6.357%
6	10.617	10.492	10.992	VV	63103	3274568	100.00%	17.570%
7	13.053	12.892	13.114	PV	20189	948878	28.98%	5.091%
8	13.187	13.114	13.621	VV	39638	2039801	62.29%	10.945%
9	13.915	13.699	14.052	BV	37637	1891165	57.75%	10.147%
10	16.190	16.037	16.404	PBA	33406	1480182	45.20%	7.942%

Sum of corrected areas: 18637308

FB121624.M Tue Dec 17 03:27:31 2024