

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB121719\
 Data File : FB023256.D
 Signal(s) : FID2B.CH
 Acq On : 17 Dec 2019 12:21
 Sample : K6300-03MSD
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB112219.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.690	4.522	4.829	BV	12133	852412	75.97%	13.273%
2	6.778	6.637	6.882	PV	144	8287	0.74%	0.129%
3	7.418	7.203	7.629	PV	11678	980390	87.37%	15.266%
4	7.757	7.629	7.823	VV	5776	315070	28.08%	4.906%
5	7.892	7.823	8.091	VV	7369	387256	34.51%	6.030%
6	8.799	8.625	9.134	BV	9104	511718	45.60%	7.968%
7	9.863	9.724	10.025	PV	75	7090	0.63%	0.110%
8	10.405	10.188	10.507	PV	193	18879	1.68%	0.294%
9	10.630	10.507	10.916	VV	24188	1122095	100.00%	17.472%
10	13.070	12.927	13.132	PV	7920	345573	30.80%	5.381%
11	13.203	13.132	13.368	VV	14884	656179	58.48%	10.217%
12	13.931	13.741	14.050	BV	14321	636366	56.71%	9.909%
13	14.158	14.050	14.304	VV	230	18913	1.69%	0.294%
14	15.519	15.336	15.636	PB	76	5293	0.47%	0.082%
15	15.965	15.848	16.079	PV	120	8394	0.75%	0.131%
16	16.210	16.079	16.335	VV	12813	541852	48.29%	8.437%
17	16.352	16.335	16.393	VV	54	1653	0.15%	0.026%
18	16.462	16.393	16.602	VBA	71	4790	0.43%	0.075%
Sum of corrected areas:						6422213		

FB112219.M Wed Dec 18 08:07:45 2019