

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB121721\
Data File : FB026529.D
Signal(s) : FID2B.CH
Acq On : 17 Dec 2021 11:10
Sample : BSF1217S1
Misc : 5.01G/5.00 ML DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB120821.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.705	4.525	4.846	BV	6383	482970	80.01%	13.405%
2	7.435	7.229	7.635	PV	6269	562985	93.27%	15.626%
3	7.750	7.635	7.818	VV	3323	178546	29.58%	4.956%
4	7.886	7.818	8.011	VV	4105	208035	34.47%	5.774%
5	8.791	8.637	8.998	PV	4734	263184	43.60%	7.305%
6	10.619	10.490	10.782	BV	13250	603601	100.00%	16.753%
7	13.056	12.934	13.117	BV	4294	187514	31.07%	5.204%
8	13.189	13.117	13.337	VV	8532	374188	61.99%	10.386%
9	13.916	13.704	14.030	BV	8192	366714	60.75%	10.178%
10	16.191	16.062	16.299	BV	8957	375202	62.16%	10.414%

Sum of corrected areas: 3602939

FB120821.M Mon Dec 20 13:04:10 2021